

ToteVision - DEALER / RESELLER Level Pricing - January 15, 2018

MODEL	LIST \$	RoHS	STOCK	MOQ	DESCRIPTION
AIO-1850	2,662	RoHS	IN		All-in-one PC with interactive 18.5" IR 2-point touch, Intel Core i5, 8GB RAM, HDMI, 1366x768, 450 Nit, 1000:1, LED
AIO-1851	3,417	RoHS	SO	100	TAA compliant AIO PC with interactive 18.5" IR 2-pt touch, Intel i5, 8GB RAM, HDMI, 1366x768, 450 Nit, 1000:1, LED
AIO-5502	3,771	RoHS	IN		All-in-one PC with interactive 55" multi-touch Full HD, Intel Core i5, 4GB RAM, 500GB, HDMI, 450 Nit, 5000:1, LED
AIO-7003UHD	8,482	RoHS	SO	30	All-in-one PC w/interactive 70" multi-touch scrn, 4K resolution, Intel Core i7, 8GB RAM, 256GB SSD, Android System Board, 330 Nit, 4000:1
AIO-8600UHD	11,987	RoHS	SO	30	All-in-one PC w/interactive 86" multi-touch scrn, 4K resolution, Intel Core i7, 8GB RAM, 256GB SSD, Android System Board, 330 Nit, 1200:1
LED-502V	285	RoHS	IN		5" 4:3 field monitor: NTSC/PAL, LED, BNC in, RCA in, VGA, 640x480, 250 Nit, 500:1, NiCad / Alkaline battery back
LED-502V KIT	404	RoHS	IN		Kit: 5" 4:3 monitor w/BNC In, RCA In, VGA, 640x480, 250 Nit, 500:1, battery back with tote bag, and AC Adapter
LED-504HDMx3	957	RoHS	IN		Three 5" monitors in 2RU rack mount, native 16:9, HDMI, BNC I/O, 3.5 AV I/O, NTSC/PAL, 800x480, 500 Nit, 500:1, 1080p
LED-566HD	422	RoHS	IN		5.6", 4:3 field monitor, audio, battery back, HDMI, BNC i/o, 3.5 AV in, NTSC/PAL, LED, 640x480, 350 Nit, 500:1, 1080p
LED-566HD KIT	530	RoHS	IN		Kit: 5.6", 4:3 monitor w/audio, HDMI, BNC In/Out, 3.5 AV In, 640x480, 350 Nit, 500:1, battery back, tote bag, and AC adapter
LED-566HDM	446	RoHS	IN		5.6" monitor, 4:3, HDMI, BNC I/O, 3.5mm AV In, NTSC/PAL, LED, 640x480, 350 Nit, 500:1, 1080p, no audio
LED-566HDML	465	RoHS	IN		5.6" Flush mount monitor, 4:3, HDMI, BNC I/O, 3.5mm AV In, NTSC/PAL, LED, 640x480, 350 Nit, 500:1, 1080p, no audio
LED-566HDMLX	465	RoHS	IN		5.6" Flush mount monitor, no front controls, 4:3, HDMI, BNC I/O, 3.5mm AV In, NTSC/PAL, 640x480, 350 Nit, 500:1, 1080p
LED-709HD	329	RoHS	IN		7" monitor, 16:9, audio, NTSC/PAL, HDMI, VGA, USB, AV1, AV2, LED, 800x480, 300nit, 500:1, touch w/VGA source
LED-709HD KIT	551	RoHS	IN		Kit: 7" monitor (LCD-709HD) with BP-563C rechargeable battery pack, tote bag, and AC adapter
LED-710-4KIP	713	RoHS	IN		7" IP and Analog Camera test monitor, 1280x800, IP ONVIF, TVI, CVI, AHD, SDI, 4K formats, POE+, LAN and WiFi
LED-711-4K	530	RoHS	IN		7" 1920x1200 monitor displays up to 4K (2160p), HDMI, Composite (BNC) In/Out, 1,100:1, 450 Nit, 16.7m colors, Audio Out
LED-711-4KL	566	RoHS	IN		7" 1920x1200 flush-mount monitor displays up to 4K (2160p), HDMI, Composite (BNC) In/Out, 1,100:1, 450 Nit, 16.7m colors. Audio Out
LED-711-4K2	906	RoHS	IN		Dual 7" 1920x1200 rack-mount monitors displays up to 4K (2160p), HDMI, Composite (BNC) In/Out, 1,100:1, 450 Nit, 16.7m colors, Audio Out
LED-720	232	RoHS	IN		7", 16:9 flush mount monitor, NTSC/PAL, 2 RCA video inputs, LED, 800 x 480, includes in-wall housing
LED-803HD	581	RoHS	IN		8", 4:3, HDMI, RS-232, audio, NTSC/PAL, BNC in x 2, BNC out x 2, VGA, LED, 800 x 600, 250 Nit, 500:1
LED-803HD2	999	RoHS	IN		Two 8" monitors in 4RU rack-mount, 4:3, HDMI, RS-232, audio, NTSC/PAL, BNC In/Out x2, VGA, 800x600, 250 Nit, 500:1
LED-1002HD2	1,133	RoHS	IN		Two 9.7" monitors in 5RU rack-mount, 4:3, 3D comb filter, NTSC/PAL, VGA, HDMI, BNC i/o x 2, 1024 x 768, 400 Nit, 1,000:1
LED-1003HD	639	RoHS	IN		9.7" LCD monitor, 4:3, LED, 3D comb DSP, VGA, HDMI, BNC I/O, 1024x768, 400 Nit, 1,000:1, IR remote
LED-1003HDL	769	RoHS	IN		Flush-mount 9.7" monitor, 4:3, 3D comb filter, NTSC/PAL, VGA, HDMI, BNC I/O, LED, 1024 x 768, 400 Nit, 1,000:1
LED-1003HDLX	769	RoHS	IN		Flush-mount 9.7" monitor 4:3, LED, 3D comb filter, VGA, HDMI, BNC I/O, 1024 x 768, 400 Nit, 1,000:1, no front controls
LED-1003HDX	639	RoHS	IN		9.7" monitor w/no front controls, 4:3, 3D comb filter, NTSC/PAL, VGA, HDMI, BNC I/O, LED, 1024 x 768, 400 Nit, 1,000:1
LED-1011HDPVM	571	RoHS	IN		10.1" monitor w/built-in IP ONVIF Profile S vari-focal camera with network connectivity and motion sensor, White color
LED-1564MM	1,372	RoHS	IN		Mirrored TV: 15.6", 16:9, ATSC/QAM tuner; with 30" x 40" mirror with black frame, ships on pallet;
LED-1562HD	741	RoHS	IN		15.6" monitor, 16:9, audio, NTSC/PAL, VGA, HDMI, RS-232, BNC In/Out x2, 1920x1080, 220 Nit, 400:1, 3D comb
LED-1562HDL	834	RoHS	IN		Flush-mount 15.6" monitor, 16:9, audio, NTSC/PAL, VGA, HDMI, RS-232, BNC In/Out x2, 1920x1080, 220 Nit, 400:1, 3D comb
LED-1562HDLX	883	RoHS	IN		Flush-mount 15.6" monitor w/ no front controls, 16:9, VGA, HDMI, RS-232, BNC In/Out x2, 1920x1080, 220 Nit, 400:1, 3D comb
LED-1562HDR	787	RoHS	IN		15.6" rack-mount monitor, 16:9, audio, VGA, HDMI, RS-232, BNC In/Out x2, 1920x1080, 220 Nit, 400:1, 3D comb, 6RU
LED-1562HDX	790	RoHS	IN		15.6" monitor w/ no front controls, 16:9, audio, VGA, HDMI, RS-232, BNC In/Out x2, 1920x1080, 220 Nit, 400:1, 3D comb
LED-1566HDT	678	RoHS	Apr '18		15.6" TV/monitor, 16:9, ATSC/QAM tuner, 1920x1080, HDMI, VGA, AV IN, YPbPr, 3D Comb, 300 Nit, 800:1, 1080p, audio

IN = Typically in-stock; ready for delivery

RoHS = RoHS compliant

SO = Special Order

ToteVision - DEALER / RESELLER Level Pricing - January 15, 2018

MODEL	LIST \$	RoHS	STOCK	MOQ	DESCRIPTION
LED-1566HDTL	779	RoHS	Apr '18		Flush-mount 15.6" TV/monitor, 16:9, ATSC/QAM tuner, 1920x1080, HDMI, VGA, AV IN, YPbPr, 3D Comb, 300 Nit, 800:1, 1080p, audio
LED-1566HDTR	740	RoHS	Apr '18		Rack-mount 15.6" TV/monitor, 16:9, ATSC/QAM tuner, 1920x1080, HDMI, VGA, AV IN, YPbPr, 3D Comb, 300 Nit, 800:1, 1080p, audio
LED-1709HD	571	RoHS	IN		17" monitor, 5:4, 3D comb filter, audio, NTSC/PAL, VGA, HDMI, BNC in/out x2, LED, 1280 x 1024, 300 Nit, 10,000:1
LED-1709HDL	684	RoHS	IN		Flush-mount 17" monitor, 5:4, 3D comb, audio, NTSC/PAL, VGA, HDMI, BNC In/Out x2, LED, 1280 x 1024, 300 Nit, 10,000:1
LED-1709HDR	674	RoHS	IN		Rack-mount 17" monitor, 5:4, 3D comb, audio, NTSC/PAL, VGA, HDMI, BNC In/Out x2, 1280x1024, 300 Nit, 10,000:1, 6RU
LED-1906HDMT	500	RoHS	IN		18.5" TV/monitor, metal, 16:9, HDMIx3, YPbPr, AV IN/OUT, VGA, 3D Comb, 1366x768, 230 Nit, 1000:1, 1080p
LED-1906HDMTR	523	RoHS	IN		Rack-mount metal 18.5" TV/monitor, 16:9, HDMIx3, YPbPr, AV I/O, VGA, LED, 3D Comb, 1366x768, 230 Nit, 1000:1, 1080p, 7RU
LED-1906HDMTL	535	RoHS	IN		Flush-mount metal 18.5" TV/monitor, 16:9, HDMIx3, YPbPr, AV I/O, VGA, LED, 3D Comb, 1366x768, 230 Nit, 1000:1, 1080p
LED-1906HDMTLX	573	RoHS	IN		Flush-mount metal 18.5" TV/monitor w/no front controls, 16:9, HDMIx3, AV I/O, VGA, 1366x768, 230 Nit, 1000:1, 1080p
LED-1908HD	593	RoHS	IN		19" monitor, 5:4, 3D comb filter, audio, NTSC/PAL, VGA, HDMI, BNC in/out x2, LED, 1280 x 1024, 300 Nit, 10,000:1
LED-1908HDL	714	RoHS	IN		Flush-mount 19" monitor, 5:4, audio, NTSC/PAL, VGA, HDMI, BNC In/Out x2, LED, 1280x1024, 300 Nit, 10,000:1, 1080p
LED-1908HDR	707	RoHS	IN		Rack-mount 19" monitor, 5:4, audio, NTSC/PAL, VGA, HDMI, BNC In/Out x2, LED, 1280x1024, 300 Nit, 10,000:1, 1080p
LED-1910HDVB	1,243	RoHS	IN		19" monitor, 1000 Nit brightness, 5:4, audio, NTSC/PAL, VGA, HDMI, BNC in/out x 2, LED, 1280x1024, 10,000:1, 1080p
LED-1910HDVBR	1,289	RoHS	IN		Rack-mount 19" monitor, 1000 Nit brightness, 5:4, audio, NTSC/PAL, VGA, HDMI, BNC In/Out x2, 1280x1024, 10,000:1, 1080p, 8RU
LED-2153HDSOI	908	RoHS	IN		21.5" monitor, 16:9, 1920x1080, 1,000:1, 250 Nit, 4H comb filter, HD-SDI In/Out, VGA, HDMI, BNC x2 In/Out, Metal case
LED-2154HD-IP	1,401	RoHS	SO	50	21.5" monitor w/ built-in decoder supports IP ONVIF video, single and quad view, 16:9, 1920x1080, 250 Nit, 1,000:1, LAN
LED-2155HD	314	RoHS	IN		21.5" monitor, 16:9, 1920x1080, 1,000:1, 250 Nit, 3D comb filter, HDMI, VGA, BNC In/Out, Audio, desk stand, VESA
LED-2364HD	495	RoHS	IN		23.6" monitor, 16:9, HDMI, VGA, Composite, 1920 x 1080 (Full HD), RS-232
LED-2703HDPVM	1,465	RoHS	IN		27" monitor w/built-in IP ONVIF Profile S vari-focal camera with network connectivity and motion sensor; incl. ceiling mount bracket (WMC-2343)
LED-2802-4KIP	805	RoHS	IN		28" 4K monitor in metal case, w/IP decoder/POE, 16:9, 3840x2160, HDMI, DisplayPort, DVI, VGA, Comp., 300Nit, 1000:1, 1.07B colors, Audio
LED-3212HDT	466	RoHS	IN		32" TV/monitor, 16:9, ATSC/QAM tuner, HDMIx3, VGA, 1366 x 768, 230 Nit, 3000:1, RS-232
LED-4301-4K	1,207	RoHS	IN		42" 4K monitor in metal case, 16:9, 3840x2160, HDMI, DisplayPort, DVI, VGA, Comp., 350 Nit, 5000:1, 1.073 billion colors, Audio
LED-5000-4K	1,718	RoHS	SO	20	50" 4K monitor in metal case, 16:9, 3840x2160, HDMI, DisplayPort, DVI, VGA, Comp., 350 Nit, 5000:1, 1.073 billion colors, Audio
TVDS-VW765-LAND	684		IN		Wall mount bracket for video wall, spacers for tool-less adjustment, 200x200 to 700x400mm, pull-out prop-open
VW-4600	5,012	RoHS	SO	8	46" video wall panel, 1920 x 1080 (Full HD), 16:9, VGA, HDMI, DVI, 3,500:1, 450 Nit, 3.5mm bezel, LED, RS-232
VW-5500	5,698	RoHS	SO	8	55" video wall panel, 1920 x 1080 (Full HD), 16:9, VGA, HDMI, DVI, 1,400:1, 500 Nit, 3.5mm bezel, LED, RS-232
VWP-4x4	17,530		SO	1	Intel Xeon server-grade Win video wall processor w/VuWall software, Matrox Mura 4/4 I/O, 16GB, 256GB SSD, 4 quiet fans, sliding rails
AC-1000	16		IN		12VDC, 500mA power supply (A/C adaptor) for LCD-410 / 411 / 703HD / 703HDA / 703HDV
AC-1001	58		IN		12VDC, 2A power supply (A/C adaptor) for MD-1001
AC-3000	58		IN		12VDC, 2A power supply for LCD-800/840V/840VL
AC-5000	88		IN		12VDC, 5A switching power supply
BP- 563C	98		IN		Rechargeable 2200mAH battery pack
BP-711-970	36		IN		Sony 970 battery back for attaching to LED-711-4K for field use (battery not included)
BP-711-LPE6	36		IN		Canon LPE6 battery back for attaching to LED-711-4K for field use (battery not included)
CT-55	544		IN		Trolley cart for AIO-5502 (55") and AIO-7001 (70") monitors

IN = Typically in-stock; ready for delivery

RoHS = RoHS compliant

SO = Special Order

ToteVision - DEALER / RESELLER Level Pricing - January 15, 2018

MODEL	LIST \$	RoHS	STOCK	MOQ	DESCRIPTION
CV-400	359	RoHS	IN		3G, HD/SD-SDI reclocking distribution amplifier
CV-500	310	RoHS	IN		HDMI to 3G, HD/SD-SDI converter
DC-12D	8		IN		12VDC car cord for LCDs less than 10"
DC-1001	19		IN		12VDC car cord for MD-1001
DC-1500	19		IN		12VDC car cord
DC-1600	19		IN		12VDC car cord for LCD-1900VRQ
LCD-__CBL	20		IN		BNC/RCA cables. Order by model number
MB-1	29		IN		ABS desk stand for LCD-502/566/703/803/842, UNC 1/4-20
MB-72M	16		IN		Metal mounting bracket for unit with 1/4 - 20 mounting pad
PLT-75-100	39		IN		75-100 mm VESA conversion plate
RJ-45CBL	16		IN		RJ-45 to RJ-45 cross over cable for MD-1001
SS-703HD	90		IN		Metal sun shield for LCD-703HD
TB-565	108		IN		Tote bag w/ sunshield for LED-502V, LCD-562, LCD-565, and LED-566HD
TB-703	124		IN		Tote bag w/ sunshield for LCD-703HD, LED-709HD
TB-700	143		IN		Tote bag w/ sunshield for LED-710-4KIP
TB-1001	140		IN		Tote bag w/ sunshield for MD-1001
WM-1	30		IN		Wall mount bracket for 4" to 8.4" LCDs
WM-32	50		IN		Fixed VESA 75 x 75mm and 100 x 100mm compliant wall mount bracket with screw lock; 40 lbs. limit
WM-302	109		IN		4-way VESA 75x75mm, 100x100mm wall mount with swing arm; 40 lbs. limit; for 8" - 15" LCD monitors
WM-303	109		IN		4-way VESA 75x75mm, 100x100mm, 100x200mm and 200x200mm wall mount with swing arm; 40 lbs. limit; for 15" - 24" LCD monitors
WM-3270AR	200		IN		4-way wall mount for 32" to 70" monitors, tilts -5 to +15 degrees, up to 600x400mm pattern, 90 lbs. limit
WM-3742	150		IN		Fixed wall mount, 200x200mm
WMC-2343	189		IN		Ceiling mount for use with 23" ~ 46" monitors, 100 lb. limit, 100 x 100mm VESA pattern
WMC-2346	189		IN		Ceiling mount for use with 23" ~ 46" monitors, 100 lb. limit; 200 x 200mm VESA pattern
Key					
Blue gun = color calibration feature					SO = special order requires minimum order quantity (MOQ)
BNC = type of locking connector for video cable; typically fo					T = has TV tuner
G = hardended glass					TC = tuner and counter mount with all cables concealed
HD = high definition; will display a 1080p signal					TLM = TV in metal case for use behind the mirror
KIT = monitor + tote bag + AC adapter (sometimes) + rechargeable battery (sometimes)					
L = flush mount kit					TS = touch screen
LED = LCD monitor with LED backlight					TW = tuner and wall mount with all cables concealed
M = metal case					Underscan = broadcast term meaning that 100% of the picture is viewable vs. overscan
Nit = measure of brightness (1 candle per square meter)					VESA = standard monitor mounting interface pattern

IN = Typically in-stock; ready for delivery

RoHS = RoHS compliant

SO = Special Order

ToteVision - DEALER / RESELLER Level Pricing - January 15, 2018

MODEL	LIST \$	RoHS	STOCK	MOQ	DESCRIPTION
R = rack mount kit					VGA = has capability of receiving computer input
RU = rack unit (occupying 1.75" of vertical space)					X = has no front controls